



### 产品特点

- Indigo
- 10
- Insight PC

Indigo80

Indigo80

Indigo

### 多种探头选项

Indigo80

Indigo80

### 强大而可靠

Indigo80

Indigo80

10

Indigo80

### 多语言用户界面

Indigo80

Indigo80

10



Indigo80


### 使用便捷

Indigo80

Indigo80  
Insight PC

Windows® Vaisala

[www.vaisala.com/insight](http://www.vaisala.com/insight)



Indigo

[www.vaisala.com/indigo](http://www.vaisala.com/indigo)

# Indigo80

## 维萨拉 Indigo 兼容探头

---

HMP1 HMP3 HMP4 HMP5 HMP7 HMP8 HMP9 HMP80L HMP80N

---

TMP1

---

DMP5 DMP6 DMP7 DMP8 DMP80A DMP80B

---

GMP251 GMP252

---

HPP271 HPP272

---

MMP8

---

## 其他维萨拉设备

---

HMP60 HMP63 HMP110 HMP110REF HMP113 HMP115 HMM170<sup>1)</sup>

---

HMP110T HMP115T TMP115<sup>1)</sup>

---

DMT143 DMT143L

---

## 维萨拉 Indigo 数据处理单元 (主机设备)

---

Indigo510 Indigo520<sup>1)</sup>

---

1) Indigo80

2023

## 工作环境

	- 20... +50 °C
	- 20... +60°C +20°C
	20... 85%RH Ta +40 °C
	0... +45 °C <sup>1)</sup>
IP	IP40
	3
	2000 m
1)	0 °C

## 输入和输出

	2
	M12 5 2
电池 <sup>1)</sup>	
	7.2 V
	2900 mAh/20.88 Wh
	8.4 V
交流适配器 <sup>2)</sup>	
	45 W USB-C <sup>3)</sup>
	USB-C
	100-240 V AC 1.2 A 50-60 Hz
	5.0V/9.0V/12.0V/15.0V DC 3.0 A
	20.0V DC 2.25 A
	45 W
	
PC	USB-C Windows Insight
	Insight PC <sup>4)</sup>

- 1) Indigo80 (M212872EN) docs.vaisala.com  
 2) Indigo80 45W  
 3) Insight www.vaisala.com/insight  
 4) Insight

## 机械规格

	385 g
x x	213 x 58 x 27 mm
材料	
	EN AW-6082 T6
	(TPE) (PC)
	UL94 V-1
	(AF) (AR)

## 数据记录和用户界面规范

	550
	1 s... 12 h
	1 min... <sup>1)</sup>
	2.7
	TFT LCD

- 1) Indigo80

## 电池工作时间


	2 <sup>1)</sup>
	10 h +20 °C <sup>1)</sup>
1)	Indigo80

## 合规性

	EMC (2014/30/EU)
	RoHS (2011/65/EU) 2015/863
EMC	IEC/EN 61326-1 CISPR 32/EN 55032 B FCC 15 B B ICES-3/NMB-3 B CE, RoHS, FCC, RCM, UKCA

## 备件和配件

电缆	
	(M12-M8) 1.5 m 262195SP
	(M12-M12) 1.5 m 272075SP
	(M12-M12) 1 m CBL210493SP
其他	
	ASM214759
	ASM214318SP
	10 m 213107SP



Indigo80